GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – Water Resources Department – Vigilance and Enforcement Report – Verification of work "Restoration of kona Saline Embankments (Tidal Bank) to the original Standards from KM 0.000 to KM 18.600 in Machilipatnam Mandal of Krishna District" taken up by Water Resources Department in Krishna District– Disciplinary proceedings against certain Engineers of Water Resources Department under Rule 20 of APCS(CC&A) Rules, 1991 - Appointment of the Chief Engineer, Quality Control, Dowlaiswaram as Inquiring Authority – Orders- Issued.

WATER RESOURCES (Vig.II-V&E.2) DEPARTMENT

G.O.RT.No. 271 Dated: 12-04-2018

Read the following:-

1	From the Director General (Vig.&Enft.) & E.O. Prl.Secy. to Govt., G.A.D. Vigilance Report no.68 (C.No. 749-3/ V&E /E1/2014), dated:27.07.2017.
2	G.O.Rt.Nos.794-798, Water Resources (Vig.II(V&E-2)/Dept., Dated:18.12.2017
3	From Sri S.V.Laxminarayana, Assistant Engineer, Written Statement of Defence, dated:24.01.2018
4	From Sri M.Haranath, Deputy Executive Engineer, Written Statement of Defence, dated: 24.01.2018
5	From Sri V.Chandra Sekhar Naidu, Executive Engineer, Written Statement of Defence, dated: 24.01.2018
6	From Sri T.Ramesh, Technical officer(Retd), Written Statement of Defence, dated: 24.01.2018

<<<>>>.

O R D E R

Whereas, an enquiry under Rule 20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991 is being held against the following officers:-

Sl.No.	Name of the officer & Designation
1	Sri S.V.Laxminarayana, AE
2	Sri M.Haranath, DEE
3	Sri T.Ramesh, TO(Retd)
4	Sri V.Chandra Sekhar Naidu, EE

2. And whereas, it is considered that an Inquiring Authority should be appointed to inquire into the charges framed against the above said (4)officers.

3. Now, therefore, in exercise of the powers conferred by Sub-rule (2) of Rule 20 of the said rules, the disciplinary Authority hereby appoints Chief Engineer, Quality Control, Dowlaiswaram as the Inquiring Authority to inquire into the charges framed against the above said four(4) charged officers.

(p.t.o.)

4. Copies of reports, charge memoranda and Written Statements of Defence submitted by the Charged Officers are forwarded herewith to the Inquiring Authority. The Presenting Officer will produce other original documents relating to the case before the Inquiring Authority. The Inquiring Authority is requested to complete the enquiry and submit his report within two months in the prescribed proforma, as per the orders issued in G.O.Ms.No.679, G.A. (Ser.C) Department, dated 01.11.2008 and Circular Memo No.56183/Ser.C/99, G.A. (Ser.C) Department, dated 15.10.1999.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

SHASHI BHUSHAN KUMAR
SECRETARY TO GOVERNMENT

To

The individuals **through** the Engineer-in-Chief (AW), Water Resources Department, Vijayawada.

The Chief Engineer, Quality Control, Dowlaiswaram and the Inquiring Authority (w.e).

Copy to:-

The Engineer-in-Chief (AW), Water Resources Department, Vijayawada for information. with a request to submit the dated acknowledgements of the Charged Officers to Government without any delay.

The Superintending Engineer, ISLMC, Tuni and Presenting Officer in this case.

SF/SC.

// FORWARDED :: BY ORDER //

SECTION OFFICER